

APPLES AND BANANAS HEMP FLOWER

Sample ID: 2604AFL0674.2291

Internal Lab ID: ATL-36428

Client

Strain: APPLES AND BANANAS HEMP
Matrix: Plant

LBFFFLC / Honey Buzz

Type: Flower - Cured

Lic. # 2026-R-2199309

Unit Weight: 1 g

Received: 05/07/2026

Completed: 06/12/2026

Batch#: 04272026

471 FLAGLER AVE

POMPANO BEACH, FL 33060



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	05/08/2026	Complete
Residual Solvents	06/08/2026	Pass
Microbials	06/08/2026	Pass
Mycotoxins	06/08/2026	Pass
Pesticides	06/08/2026	Pass
Heavy Metals	06/09/2026	Pass
Foreign Matter	06/08/2026	Pass

Basic Potency

Complete

ND Total THC	13.121% Total CBD	27.054% Total Cannabinoids
------------------------	-----------------------------	--------------------------------------

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa	0.003	0.008	ND	ND	9S-HHC	0.004	0.011	ND	ND
CBDV	0.003	0.008	ND	ND	9R-HHC	0.004	0.011	ND	ND
CBDa	0.003	0.008	0.211	2.11	Δ9-THCH	0.003	0.009	ND	ND
CBGa	0.003	0.008	8.892	88.92	Δ8-THCH	0.003	0.009	ND	ND
CBG	0.003	0.008	0.954	9.54	Δ9-THCP	0.003	0.008	3.823	38.23
CBD	0.003	0.008	12.936	129.36	Δ8-THCP	0.003	0.009	ND	ND
THCV	0.003	0.008	ND	ND	Δ8-THCO	0.003	0.008	ND	ND
Δ8-THCV	0.003	0.009	ND	ND	Δ9-THCO	0.003	0.008	ND	ND
THCVa	0.003	0.008	ND	ND	9(S)-HHCP	0.003	0.009	ND	ND
CBN	0.003	0.008	ND	ND	9(R)-HHCP	0.003	0.009	ND	ND
Δ9-THC	0.003	0.008	ND	ND	11-Hydroxy-THC	0.003	0.009	ND	ND
Δ8-THC	0.003	0.008	ND	ND	1(S)-H4-CBD	0.003	0.009	ND	ND
(6aR,9S)-d10-THC	0.003	0.009	ND	ND	1(R)-H4-CBD	0.003	0.009	ND	ND
(6aR,9R)-d10-THC	0.003	0.009	ND	ND	Δ9-THCB	0.003	0.008	ND	ND
CBC	0.003	0.008	0.111	1.11	Δ8-THCB	0.003	0.009	ND	ND
CBCa	0.003	0.008	0.127	1.27	CBDp	0.003	0.009	ND	ND
THCa	0.003	0.008	ND	ND	Total			27.054	270.54


Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 05/08/2026

Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

NT Not Tested Document ID: Moisture Content	NT Not Tested Document ID: Water Activity	Pass Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3 Foreign Matter
---	---	--




Lise Berthe-Laurent
Laboratory Director
06/12/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com

QA Testing

2 of 4

APPLES AND BANANAS HEMP FLOWER

Sample ID: 2604AFL0674.2291

Internal Lab ID: ATL-36428

Client

Strain: APPLES AND BANANAS HEMP

LBFFFLC / Honey Buzz

Matrix: Plant

Received: 05/07/2026

Lic. # 2026-R-2199309

Type: Flower - Cured

Completed: 06/12/2026

471 FLAGLER AVE

Unit Weight: 1 g

Batch#: 04272026

POMPANO BEACH, FL 33060

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB			PPB	PPB	PPB	PPB	
Abamectin	16.667	50.000	100	ND	Pass	Fludioxonil	16.667	50.000	100	ND	Pass
Acephate	16.667	50.000	100	ND	Pass	Hexythiazox	16.667	50.000	100	ND	Pass
Acequinocyl	16.667	50.000	100	ND	Pass	Imazalil	16.667	50.000	100	ND	Pass
Acetamiprid	16.667	50.000	100	ND	Pass	Imidacloprid	16.667	50.000	400	ND	Pass
Aldicarb	16.667	50.000	100	ND	Pass	Kresoxim Methyl	16.667	50.000	100	ND	Pass
Azoxystrobin	16.667	50.000	100	ND	Pass	Malathion	16.667	50.000	200	ND	Pass
Bifenazate	16.667	50.000	100	ND	Pass	Metalaxyl	16.667	50.000	100	ND	Pass
Bifenthrin	16.667	50.000	100	ND	Pass	Methiocarb	16.667	50.000	100	ND	Pass
Boscalid	16.667	50.000	100	ND	Pass	Methomyl	16.667	50.000	100	ND	Pass
Captan	116.667	350.000	700	ND	Pass	Mevinphos	16.667	50.000	100	ND	Pass
Carbaryl	16.667	50.000	500	ND	Pass	Myclobutanil	16.667	50.000	0	ND	Pass
Carbofuran	16.667	50.000	100	ND	Pass	Naled	16.667	50.000	250	ND	Pass
Chlorantraniliprole	16.667	50.000	1000	ND	Pass	Oxamyl	16.667	50.000	500	ND	Pass
Chlordane	16.667	50.000	100	ND	Pass	Paclobutrazol	16.667	50.000	100	ND	Pass
Chlorfenapyr	16.667	50.000	100	ND	Pass	Parathion Methyl	16.667	50.000	100	ND	Pass
Chlormequat Chloride	16.667	50.000	1000	ND	Pass	Pentachloronitrobenzene	16.667	50.000	150	ND	Pass
Chlorpyrifos	16.667	50.000	100	ND	Pass	Permethrin	16.667	50.000	100	ND	Pass
Clofentezine	16.667	50.000	200	ND	Pass	Phosmet	16.667	50.000	100	ND	Pass
Coumaphos	16.667	50.000	100	ND	Pass	Piperonyl Butoxide	16.667	50.000	3000	ND	Pass
Cyfluthrin	83.333	250.000	500	ND	Pass	Prallethrin	16.667	50.000	100	ND	Pass
Cypermethrin	83.333	250.000	500	ND	Pass	Propiconazole	16.667	50.000	100	ND	Pass
Daminozide	16.667	50.000	100	ND	Pass	Propoxur	16.667	50.000	100	ND	Pass
Diazinon	16.667	50.000	100	ND	Pass	Pyrethrins	16.667	50.000	500	ND	Pass
Dichlorvos	16.667	50.000	100	ND	Pass	Pyridaben	16.667	50.000	200	ND	Pass
Dimethoate	16.667	50.000	100	ND	Pass	Spinetoram	16.667	50.000	200	ND	Pass
Dimethomorph	16.667	50.000	200	ND	Pass	Spinosad	16.667	50.000	100	ND	Pass
Ethoprophos	16.667	50.000	100	ND	Pass	Spiromesifen	16.667	50.000	100	ND	Pass
Etofenprox	16.667	50.000	100	ND	Pass	Spirotetramat	16.667	50.000	100	ND	Pass
Etoxazole	16.667	50.000	100	ND	Pass	Spiroxamine	16.667	50.000	100	ND	Pass
Fenhexamid	16.667	50.000	100	<50.000	Pass	Tebuconazole	16.667	50.000	100	ND	Pass
Fenoxycarb	16.667	50.000	100	ND	Pass	Thiacloprid	16.667	50.000	100	ND	Pass
Fenpyroximate	16.667	50.000	100	ND	Pass	Thiamethoxam	16.667	50.000	500	ND	Pass
Fipronil	16.667	50.000	100	ND	Pass	Trifloxystrobin	16.667	50.000	100	ND	Pass
Flonicamid	16.667	50.000	100	ND	Pass						

Document ID: CoA-2 Pesticides Rev. 1, Test Method: TM-1

Date Tested: 06/08/2026

Pesticide via LC-MS/MS and GC-MS/MS



Lise Berthe-Laurent
Laboratory Director
06/12/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



APPLES AND BANANAS HEMP FLOWER

Sample ID: 2604AFL0674.2291

Internal Lab ID: ATL-36428

Client

Strain: APPLES AND BANANAS HEMP
FLOWER

LBFFFLC / Honey Buzz

Matrix: Plant

Lic. # 2026-R-2199309

Type: Flower - Cured

Received: 05/07/2026

471 FLAGLER AVE

Unit Weight: 1 g

Completed: 06/12/2026

POMPANO BEACH, FL 33060

Batch#: 04272026

Microbials

Pass

Analyte	LOD	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Shiga Toxin-Producing E. coli	1	1	Not Detected in 1g	Pass
Aspergillus flavus	1	1	Not Detected in 1g	Pass
Aspergillus fumigatus	1	1	Not Detected in 1g	Pass
Aspergillus terreus	1	1	Not Detected in 1g	Pass
Aspergillus niger	1	1	Not Detected in 1g	Pass
Salmonella	1	1	Not Detected in 1g	Pass
Total Yeast & Mold	10	100000	ND	Pass

Document ID: CoA-3 Microbials Rev. 2, Test Method: TM-4.1, TM-4.2
Date Tested: 06/08/2026

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Aflatoxin B1	3.33	10.00		ND	Tested
Aflatoxin B2	3.33	10.00		ND	Tested
Aflatoxin G1	3.33	10.00		ND	Tested
Aflatoxin G2	3.33	10.00		ND	Tested
Ochratoxin A	3.33	10.00	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Document ID: CoA-7 Mycotoxins Rev. 1, Test Method: TM-1
Date Tested: 06/08/2026

Foreign Matter

Pass

Analyte	Limit	Result	Status
	% by weight	% by weight	
Mold, Mildew, Fungus, Hair, Or Insects	1% wt/wt or >10% total sample surface area	ND	Pass
Packaging Contaminants, Processing Waste, Or Other By-Products	1% wt/wt or >10% total sample surface area	ND	Pass
Feces	>0.5 mg/kg	ND	Pass
FM Other		ND	Pass

Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3
Date Tested: 06/08/2026



Lise Berthe-Laurent
Laboratory Director
06/12/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

APPLES AND BANANAS HEMP FLOWER

Sample ID: 2604AFL0674.2291

Internal Lab ID: ATL-36428

Client

Strain: APPLES AND BANANAS HEMP
Matrix: Plant

LBFFFLC / Honey Buzz

Type: Flower - Cured

Received: 05/07/2026

Lic. # 2026-R-2199309

Unit Weight: 1 g

Completed: 06/12/2026

471 FLAGLER AVE

Batch#: 04272026

POMPANO BEACH, FL 33060

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
1,1-Dichloroethene	0.64	1.93	8	ND	Pass	n-Heptane	0.64	1.93	5000	ND	Pass
1,2-Dichloroethane	0.64	1.93	2	ND	Pass	Isobutane	0.65	1.94		ND	Tested
1,4-Dioxane	0.64	1.93		ND	Tested	Isopentane	0.21	0.64		ND	Tested
2,2-Dimethylbutane	0.13	0.39		ND	Tested	Isopropanol	9.45	28.36	500	ND	Pass
2,3-Dimethylbutane	0.13	0.39		ND	Tested	Isopropyl Acetate	0.64	1.93		ND	Tested
2-Butanol	0.64	1.93		ND	Tested	m-Xylene + p-Xylene	0.32	0.96		ND	Tested
2-Ethoxyethanol	1.29	3.86		ND	Tested	Methanol	6.42	19.26	250	44.49	Pass
2-Methylpentane	0.13	0.39		ND	Tested	Methylene Chloride	0.64	1.93	125	ND	Pass
3-Methylpentane	0.13	0.39		ND	Tested	n-Butane	0.32	0.97		ND	Tested
Acetone	0.64	1.93	750	8.95	Pass	n-Hexane	0.13	0.39		ND	Tested
Acetonitrile	6.39	19.16	60	ND	Pass	n-Pentane	0.21	0.64		2.71	Tested
Benzene	0.01	0.02	1	ND	Pass	Neopentane	0.21	0.64		ND	Tested
Chloroform	0.03	0.08	2	ND	Pass	o-Xylene	0.16	0.48		ND	Tested
Cumene	0.64	1.93		ND	Tested	Propane	2.59	7.77	5000	ND	Pass
Cyclohexane	0.64	1.93		ND	Tested	Tetrahydrofuran	0.64	1.93		ND	Tested
Ethanol	13.30	39.91	5000	ND	Pass	Toluene	0.78	2.35	150	ND	Pass
Ethyl Acetate	3.66	10.97	400	ND	Pass	Trichloroethene	0.64	1.93	25	ND	Pass
Ethylbenzene	0.16	0.48		ND	Tested	Hexanes			250	ND	Pass
Ethyl Ether	0.64	1.93	500	ND	Pass	Butanes			5000	ND	Pass
Ethylene Glycol	20.57	61.71		ND	Tested	Pentanes			750	2.71	Pass
Ethylene Oxide	0.65	1.94	5	ND	Pass	Xylenes	4.00	12.00	150	ND	Pass

Document ID: CoA-6 Residual Solvents Rev. 2, Test Method: TM-3

Date Tested: 06/08/2026

Residual Solvents via HS-GC-MS

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Arsenic	16.0	47.9	200	ND	Pass
Cadmium	16.0	47.9	200	107.8	Pass
Lead	16.0	47.9	500	<LOQ	Pass
Mercury	16.0	47.9	200	ND	Pass

Document ID: CoA-5 Heavy Metals Rev. 1, Test Method: TM-9

Date Tested: 06/09/2026




Lise Berthe-Laurent
Laboratory Director
06/12/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.